



Piazza Patch (Dry Mix)

Instructions:

- 1) Mix 526 grams (1.16 lbs.) white adhesive per 50 lb. bag of Sieved Piazza Cast Mix or
10 grams white adhesive per 1 lb. of Sieved Piazza Cast Mix

(NOTE: White adhesive furnished to Manufacturer from Piazza Stone upon request)

- 2) Pre-mix with appropriate pigment

Example: If 40 grams was used in a 50 lb. bag of Piazza Cast Mix when Manufacturing, follow process below:

- A) Sieve 50 lb. bag of Piazza Cast Mix (This process eliminates the large aggregates.)
- B) Install 40 grams of pigment to the sieved mix.

Suggestion: Trial run to verify color match

Mixing:

Use the minimum amount of water possible to make a putty texture and still able to fill crack with pressure.

Application:

Bridge and Build-up patch (approximately 1/16") on surface of stone, approximately 1" on each side of the crack. Wait for 24 hours then sand down patch material smooth to the surface of the stone.

Mandatory:

Send the following items to jobsite with the first delivery:

- 1) Piazza Patch
- 2) 1 Bag Piazza Cast Mix (may be needed to cut to adjust width size)