



Foam Requirements

Hard Mold Inserts: EPS Bead	Drew Foam/Alleguard Recommended, Others are acceptable	Type 1 B-Bead Minimum Density 0.90pcf	Certificate of Approval
Foam Mold and Foam Mold Inserts: EPS Bead	Drew Foam/ Allegaurd Recommended, Others are acceptable	Type 1 C-Bead "Virgin" Minimum Density 0.90pcf	Certificate of Approval


PO BOX 212478
AUGUSTA, GA 30917






3817 MARTINEZ BLVD.
SUITE A
AUGUSTA, GA 30907

PHONE: (706) 651-1210 · FAX: (706) 651-1235

NARD MOLDS (WOOD, FIBERGLASS, ETC.)



-  PIAZZA CAST MIX
-  MOLD "SUPPORT" (WOOD, FIBERGLASS, ETC.)
-  MOLD "INSERT" 1lb. B-BEAD FOAM


PO BOX 212478
AUGUSTA, GA 30917




piazza **STONWORKS.**

3817 MARTINEZ BLVD.
SUITE A
AUGUSTA, GA 30907

PHONE: (706) 651-1210 · FAX: (706) 651-1235

FOAM MOLDS



-  PIAZZA CAST MIX
-  MOLD "SUPPORT" 1 lb. C-BEAD FOAM "VIRGIN"
-  MOLD "INSERT" 1 lb. C-BEAD FOAM "VIRGIN"